

INDEX

- @% variable, 27, 199, 204, 232-235
 - effect on STR\$, 48
- ABS function, 56, 228
- *ACCESS command, 120, 255
- ACS function, 57
- address, memory, 152
- ADVAL function, 189
- ampersand, for input in hex, 152
- AND operator, 58, 65
- apostrophe, 45, 197
- appending to a file, 133
- arithmetic operations, 7
- arrays, 17-21
 - declaration, 18
 - string, 20, 50-52
 - subscript, 18
- ASC function, 49
- ASCII codes, 48, 237-238
- ASCII files, 125, 143-150
- capturing program output in, 147
- file commands, 122
- ASN function, 57
- assembler, 179-181
- assignment statements, 5-8
 - for strings, 41
- ATN function, 57
- auto-repeat, 220
-
- *BACKUP command, 116
- BASIC I, 34, 132, 230-231
- BASIC II, 132, 230-231
- BASIC stack, 155-156
- baud rate, setting, 220, 244
- BELL, 222-223
- BGET# command, 138, 140, 143
- binary files, 125, 126-127
-
- binary notation, 151
- binary operator, 41
- bits, 151
- Booleans, 62
- bitwise action of operators, 67
- expressions, 63
- operators, 65
 - with IF...THEN, 67
- !BOOT files, 123, 145, 210
- BPUT# command, 138, 143
- branching, 8
- BREAK key, 214
- bubble sort, 53
- buffers
 - flushing, 191
 - for data files, 127, 154
 - input, 154
- *BUILD command, 124, 122, 143
- *BYE command, 253
- bytes, 152
-
- CALL command, 181
- Can't extend problem, 134-135
- capturing program output, 147
- *CAT catalogue command, 111, 256
- catalogue structure, 263-265
- CHAIN command, 177
- channel numbers, 128
- channel variable, 128
- characters, user-defined, 90-92, 154
- CHR\$ function, 49, 83, 207
- circles
 - plotting, 79-80
 - solid, 82
- CLEAR command, 227
- CLG command, 74, 89

CLOSE# command, 122, 129
 CLS command, 74
 COLOUR command, 72
 colour in text and graphics, 70, 72, 206-210
 changing, 89-90
 comma, 40, 197, 203
 command line interpreter (CLI), 174
 *COMPACT command, 120
 complete file specification, 112
 compress line on input, 14
 conditional tests, 63-65
 *COPY command, 117
 COS function, 57, 231
 COUNT function, 202, 228, 236
 CTRL-BREAK, 104
 filing system selection, 248
 CTRL codes, 224-225
 cursor, switching off, 93
 cursor keys, 215
 disabling, 190

 data files, 125, 127-143
 closing, 129
 format, 139
 opening, 128, 130, 132
 program to read or write, 140-143
 random access, 135-138
 single-byte access, 138-139
 DATA statements, 42, 226
 DEF PROC statement, 30
 default filing system, 108
 DEG function, 57
 *DELETE command, 118
 *DESTROY command, 118
 DIMension, 18, 172, 183, 226
 *DIR command, 110, 256
 directories, 109
 *DISC command, 109
 disc filing system (DFS), 2, 108-124
 memory usage, 154
 organisation, 119
 DISCZAP program, 262-265
 *DISK command, 109
 DIV operator, 58
 double-height text, 208, 227
 double-sided disc drives, 1 10
 DRAW command, 74-75
 *DRIVE command, 111, 251
 *DUMP command, 123, 143-144

 Econet, 247-261
 level 1 commands, 250
 level 2 commands, 254
 level 1 error messages, 252
 level 2 error messages, 259
 network filing system (NFS), 109
 network utilities, 251
 printing from, 245
 ellipse, 80
 *ENABLE command, 116
 ENDPROC, 30
 EOF# function, 131, 236
 EOR operator, 58, 65
 equal sign =, 6, 10
 EQU pseudo-operations, 180, 231
 ERL function, 104, 236
 ERR function, 104, 236
 errors
 codes, 103, 241-242
 execution, 99
 semantic, 97, 98
 syntax, 95, 96
 ESCAPE key, disabling, 104, 190
 EVAL function, 57
 *EXEC command, 122, 144-146
 execution address, 185
 EXP function, 57
 EXT# function, 133, 236

 FALSE pseudo-variable, 63, 236
 fields, in a record, 135
 file server, 2, 247
 file types, 125-127
 files
 backup and transfer, 116-117
 commands, table of, 116
 disc (DFS), 2
 Econet, 2
 filing systems, 1, 106
 opening and closing, 128-133
 protection, 120
 removal, 118
 reserved characters, 109
 single-byte access, 138-140
 flashing colours, 73
 floppy discs, 106-108
 flow charts, 22
 flushing buffers, 191, 220
 FOR...NEXT loop, 10
 *FORM command, 113
 formatting a disc, 113
 formatting numerical output, 202-206, 232

- free memory, 157
- function keys, 215-217, 223
 - use from within a program, 175-176
- functions
 - mathematical, 56-58
 - user-defined, 25
- *FX commands, 219-223
 - from machine code, 184
 - *FX 3, 244
 - *FX 4, 190, 217
 - *FX 5, 244
 - *FX 6, 245
 - *FX 8, 244
 - *FX 15, 191
 - *FX 20, 92
 - *FX 138, 176
 - *FX 229, 190
- GCOL command, 73, 74
- GET and GET\$ functions, 189
- good programming style, 25
- GOSUB statement, 32
- GOTO statement, 8, 25
- graphics
 - modes, 69-70
 - origin, 85
 - window, 88-89
- *HELP, 121
- hexadecimal notation, 151-152
- hierarchical directory, 252
- HIMEM pseudo-variable, 155-156, 236
- *I AM command, 249, 253
- IF...THEN conditional statement, 8
- IF...THEN...ELSE...structure, 14
- *INFO command, 119
- indexed addressing, 161
- indirection operators, 159-162
- INKEY function, 190-193, 221, 227
 - codes, 239-240
- INKEY\$ function, 190
- INPUT command, 40, 41, 189, 194, 230
- LINE with, 41
 - suppression of prompt, 40
- INPUT# command, 130
- INSTR function, 46
 - bug in BASIC I, 46, 229
- interactive use, 188-193
- interlace, turning off, 93, 217
- INT function, 56
- inverse printing, 209-210
- iteration, 23
- keyboard, 214-215
 - *KEY command, 216
- labels, in assembly, 182
- layout of numbers, 202-203, 232
- layout of text, 197-202
- LEFT\$ function, 44
- LEN function, 43
- *LIB command, 256
- LINE, 41
- *LIST command, 123, 143
- LISTO command, 16
- LN function, 57, 231
- *LOAD command, 125-127, 186
- LOAD command, 110, 257
- loading more than one program, 157-158
- LOCAL statement, 28, 31
- LOG function, 57, 231
- logical colours, 89
- logical expressions, 10, 62-68
- LOMEM pseudo-variable, 155-156, 236
- machine code
 - allocating space for, 183
 - loading into memory, 147
 - use, 178-186
- Machine Operating System (MOS), 1, 215
- memory access, 159-162
- memory organization and usage, 153-155
- MEMZAP program, 162-168
- menus, 188, 210-213
- merging programs, 146
- MID\$ function, 44
- MODE command, 69
 - properties of, 70
- MODE 7 display, 206-209
- MOD operator, 58
- MOVE command, 74-75
- *NET command, 247
- *NOTIFY command, 258
- NOT operator, 15, 65
- ON ERROR, 102, 129, 229
 - limitations, 105
- ON...GOSUB statement, 32, 228
- ON...GOTO statement, 32, 228
- OPENIN function, 130, 132, 230
- OPENOUT function, 128-129, 132

- OPENUP function, 132-133, 230
 - operating system commands, 215
 - issuing from within a program, 174-175
 - from machine code, 183-185
- operators, order of priority, 7, 66-67
- *OPT command, 119, 123, 145
- OPT pseudo-operation, 180, 182
- ordering, alphanumeric, 42
- origin of coordinates, 71, 85
- OR operator, 58, 65
- OSBYTE, 184, 219
- OSCLI command, 174, 184, 230
- OSHWM, 155
- OSWORD, 262
- OSWRCH, 184
- paged mode, 12
- pages, memory, 153
- PAGE pseudo-variable, 92, 155-157, 236
- parabola program, 79
- parameter
 - actual, 26
 - formal, 26, 31
 - local, 28
- *PASS command, 255
- password, 253
- PEEK, 159
- PI function, 57, 236
- pixels, 70-72
- PLOT command, 81-83
- plotting curves, 77-80
- plotting with straight lines, 75-77
- pointers
 - for files, 133
 - memory, 155-157
- POKE, 159
- pontoon program, 60-62
- POS, 85, 199-200, 202, 236
- precedence, for operators, 7
- preserving variables during chaining, 177-178
- PRINT command, 231
 - @% for, 232-235
 - apostrophe in, 45
- PRINT# command, 129
- printers, 243-246
 - output to, 202
 - servers, 247
- programs
 - ASCII file, to read or write, 148-150, 278-279
 - bubble sort, 53-54
 - circle, 79-80
 - data file, to read or write, 140-142
 - DISCZAP, 162, 262-265
 - for formatting numbers, 205
 - inverse printing, 209-210
 - MEMZAP, 162-168
 - menu, 123, 211-212
 - message in border of stars, 51-52
 - parabola, 79
 - pontoon game, 60-62
 - random access textfiles, 137-138
 - sales graph, 75-77
 - sine wave, 78
 - student mark list, 54-55
 - validation, 196-197
 - wrap round of text, 52-53
- protection against LISTing a program, 170
- pseudo-operations, 180
- pseudo-variables, 236
- PTR# function, 133, 236
- RAD function, 57
- random access data files, 135-138
- random numbers, 58-62
 - statistical test of, 60
- records, 135
- recovering a deleted program, 169
- recursion, 34-38
- relational operators, 10, 63
 - with strings, 65
- relocating a BASIC program, 158-159
- *RENAME command, 120
- RENUMBER command, 227
- REPEAT ... UNTIL statements, 13
- REPORT command, 105
- resident integer variables, 5, 86, 173-174
- resolution, in graphics, 70
- RESTORE command, 26
- RIGHT\$ function, 44
- RND function, 59
- rules of precedence, 7
- *RUN command, 186, 215
- sales graph program, 75-77
- SAVE command, 110
- *SAVE command, 125-127, 134, 185
- scaling, for graphics, 77
- screen coordinates, 71
- screen editing, 215
- semantic errors, 97, 98

- semi-colon, 40, 86, 197, 203
- sequential files, 140
- SGN function, 56
- SHIFT enable, 2
- sine wave program, 78
- SIN function, 57, 231
- soft-sectored, 113
- sorting, 42, 53
- SOUND command, 217-218
- SPC, 199-200
- spiral, 80
- *SPOOL command, 122, 145-147, 228
- SQR function, 57
- statements
 - assignment, 6
 - execution, 8
 - on the same line, 10
- STEP, in FOR...NEXT loops, 11
- STOP command, 101
- storage of BASIC programs, 168-169
- STR\$ function, 47-48, 231
 - tilde with, 48
 - @% with, 48
- STRING\$ function, 21, 47
- strings
 - arrays, 20, 50-52
 - concatenation, 41
 - manipulation functions, 43-50
 - reassignment, 21
- string-variables, 39
 - comparison of, 42
- INPUT for, 41
- READ for, 41
- structure charts, 22
- subroutines, 32
- supplementary disc and tape, 284
- syntax errors, 95, 96

- TAB, 199-202, 203
- TAB(X,Y), 201
- TAN function, 57
- text characters, 70
- text layout, 197-202
- text window, 86-88
- tilde, for output in hex, 152
 - with STR\$, 48
- TIME pseudo-variable, 13, 236
- *TITLE command, 121
- tokens, 168
- top-down design, 22
- TOP function, 155-156, 236
- track, 107

- track density, 113
- TRACE command, 100
- triangle filling, 82
- TRUE pseudc-variable, 63, 236
- turnkey system, 123, 210
- *TV command, 217
- *TYPE command, 122, 143

- unary operators, 65
- underline character, 5
- UNTIL statement, 13
- user-defined characters, 90-92
 - extra memory for, 92
- user-friendly programming, 187-188
- USR functions, 181

- VAL function, 47-48, 194
- validation, 193-197
 - numbers, 194-197
 - strings, 193-194
- variables
 - and assignment statements, 5
 - common, 28, 30, 31
 - control, 100
 - global, 28
 - integer, 5
 - method of storage, 170
 - numerical, 5
 - preserving during chaining, 177-178
 - resident integer, 5, 86, 173-174
- VDU commands, 49-50, 83-93, 207, 218, 224-225
 - display space, 155
 - from machine code, 184
 - non-graphics, 84-85, 218
 - semi-colons with, 86
 - VDU 5, 84, 89
 - VDU 23, 90-93
 - VDU 24, 88-89
 - VDU 28, 87
 - VDU 29, 85
- *VERIFY command, 114
- verifying a disc, 113
- version number, of OS, 219
- VPOS function, 85, 236

- WHILE, 16
- WIDTH command, 202
- wildcards, 115
- windows, 86-89
- word processor, for editing programs, 146